

# TECHNICAL SPECIFICATIONS SHEET

# SWING DOOR CUPBOARDS

## FEATURES

### SHELL

SIDES/ BACK/ BASE/ TOP	<p><b>Construction</b> : One-piece construction welded sheet steel.</p> <p><b>Sheet steel thickness</b> : Top: 7/10th mm, Sides 7/10th mm, Back 6/10th mm, Base 12/10th mm, Inside walls 7/10th mm.</p> <p><b>Stabilizer feet</b> : No stabilizer feet.</p> <p><b>Paint</b> : Textured epoxy powder coating.</p> <p><b>Other</b> : Cupboard units can be affixed to a wall. Product delivered fully assembled.</p> <p><b>Guarantee</b> : 2 years</p>
------------------------	--


### OPENING MECHANISM

METAL DOOR	<p><b>Construction</b> : Made from welded sheet steel.</p> <p><b>Thickness</b> : 8/10th</p> <p><b>Handle</b> : Recessed</p> <p><b>Lock</b> : 2-point lock supplied with 2 keys.</p> <p><b>Doors</b> : 2 metal swing doors.</p> <p><b>Hinges</b> : 2 concealed door hinges, silent action opening to angle of 180°.</p>
------------	--

### INTERNAL FITTINGS

INTERIOR	<p><b>Construction</b> : Made from welded sheet steel.</p> <p><b>Thickness</b> : Inside walls 7/10th mm.</p> <p><b>Inside walls</b> : Notches to the inside flanks of the cupboard walls, to facilitate the correct installation of shelves.</p>						
SHELVES (included and/or optional)	<p><b>Construction</b> : Made from welded sheet steel - sheet steel thickness 7/10th.</p> <p><b>Thickness</b> : 24 mm</p> <p><b>Max. load per shelf</b> : 60 kg</p> <p><b>Adjustment and positioning of shelves</b> : Shelves held in place by metal dowels, adjustable at 50 mm intervals.</p> <p><b>Other</b> : Shelf in a matching finish to the cupboard shell - designed to receive suspension files.</p> <table border="1" style="margin: 10px auto;"> <tr> <td style="text-align: center;">Height (in mm)</td> <td style="text-align: center;">1950</td> <td style="text-align: center;">1000</td> </tr> <tr> <td style="text-align: center;">Number of shelves</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> </table>	Height (in mm)	1950	1000	Number of shelves	4	2
Height (in mm)	1950	1000					
Number of shelves	4	2					






OVERALL DIMENSIONS (in mm)		
Height	1950	1950
Width	1200	925
Depth	420	420
USABLE DIMENSIONS (in mm)		
Height	1853	1853
Width	1195	920
Depth	353	353

SHELF DIMENSIONS		
Width	1195	920
Depth	351	351
Thickness	24	24

CAPACITY PER SHELF		
"V" shaped suspension files	+/- 148	+/- 115
Suspension files with 15 mm wide spine	+/- 79	+/- 64
Archiving Box, width 80	16	12
Archiving Box, width 150	7	6
Ringbinder Spine 75	15	13



MEDIUM HEIGHT CUPBOARDS		
CUPBOARD W. 925		

OVERALL DIMENSIONS (in mm)		
Height	1000	
Width	925	
Depth	420	
USABLE DIMENSIONS (in mm)		
Height	903	
Width	920	
Depth	353	

SHELF DIMENSIONS		
Width	920	
Depth	351	
Thickness	24	

CAPACITY PER SHELF		
"V" shaped suspension files	+/- 115	
Suspension files with 15 mm wide spine	+/- 64	
Archiving Box, width 80	12	
Archiving Box, width 150	6	
Ringbinder Spine 75	13	

