


# MELAMINE ECO PEDESTAL



PROPERTIES

LOCKBOX



<p>SIDE BACK BASE</p>	<p><b>Materials:</b> Particle board panels covered on both sides with melamine overlay  <b>Density:</b> 600 to 690 kg/m<sup>3</sup>  <b>Thickness:</b>                    Mobile pedestals: 19 mm                    Desk-height pedestals: base &amp; back 25 mm / sides 19 mm  <b>Total useful load of mobile pedestal:</b> 100 kg.  <b>Stabilisers / Castors:</b>                  Mobile pedestals: 4 castors Ø 40 mm + 5th anti-tipping castor on suspension file (SF) drawer                  Desk-height pedestals (H. 73.5 cm) : Supplied with 4 round stabilisers 40 mm in height, adjustment travel 20 mm.   <b>Assembly:</b> Pedestals supplied assembled except for castors (ø 40mm) of mobile pedestals &amp; handle(s) be fitted.</p>
<p>FINISH TOP</p>	<p><b>Materials:</b> Particle board panels covered on both sides with melamine overlay  <b>Density:</b> 600 to 690 kg/m<sup>3</sup>  <b>Thickness:</b> 25 mm (DH pedestals) or 19 mm (mobile pedestals)  <b>Colour:</b> Matched to the pedestal body  <b>Other:</b> The finish top is structural</p>
<p>BOARD EDGES</p>	<p><b>Materials:</b> PVC  <b>Thickness:</b>                    Lockbox: fine edges 0.8 mm                    Structural top (base &amp; back for the desk-height pedestal): straight edges 1 mm  <b>Finish:</b> matched to colour</p>

TYPE OF OPENING

<p>DRAWERS</p>	<p><b>Materials:</b> Particle board panels covered on both sides with melamine overlay  <b>Density:</b> 620 to 690 kg/m<sup>3</sup>  <b>Thickness:</b> 19 mm  <b>Edges:</b> fine edges 0.8 mm   <b>Bearings:</b> Slides on rollers.  <b>Type of locks:</b> Closure: centralised, with lever 2 keys.  <b>Handle:</b> Opening of drawers by painted metal handles (64 mm between centres).  <b>Closure:</b> centralised- with lever. 2 keys.   <b>Standard flat drawer:</b>                  Pen tray of ABS built into the first flat storage drawer.                  Drawers open 80%.   <b>Suspended file drawer:</b>                    Drawers open to a depth of 80%.                    Depth 500 mm.                    The suspended files drawer is organised with the frame of steel rods of diameter 7 mm fitted on plastic brackets. (Frame suitable for managing foolscap files).                    The suspended file drawers of mobile pedestals are provided with a 5th anti-toppling castor.</p>
----------------	--



## DIMENSIONS

PEDESTALS (arrows show direction of grain)	MOBILE PEDESTALS		DESK-HEIGHT PEDESTALS	
				
DIMENSIONS (in mm)	Standard pedestals - 1 box drawer + 1 SF drawer - 3 box drawers		Extension pedestals 2 box drawers + 1 SF drawer	Return pedestals 2 box drawers + 1 SF drawer
Height	591		735	
Width	436		432	
Depth	560		800	600

## CAPACITY OF SECTIONS & USEFUL DIMENSIONS

### DRAWERS

FLAT DRAWERS		
Height		70
Width		360
Depth		490

SUSPENDED FILE DRAWERS		
Height		298
Width		360
Depth		495
Suspension files with V-shaped spine		+/- 48
Suspension files with 15 mm wide spine		+/- 31



# COUNTER TOP UNITS FOR PEDESTALS




PROPERTIES

OPEN STORAGE BOX	<p><b>Materials:</b> Particle board panels covered on both sides with melamine overlay</p> <p><b>Density:</b> 600 to 690 kg/m<sup>3</sup></p> <p><b>Thickness:</b> Top &amp; base: 25 mm - Sides &amp; back: 19 mm</p> <p><b>Edges: Top &amp; base:</b> 2mm - Sides &amp; back: 0.8 mm</p> <p>Edge banding in same finish as shell (except for Maritime pine N8 which comes with plywood edge banding)</p> <p><b>Description:</b> Box provided with a base and a back. For desk-height pedestals D. 80 cm. Replace the melamine finish top.</p> <p><b>Assembly instructions:</b> To be fastened by double-sided adhesive.</p>
------------------	---

OVERALL DIMENSIONS

OPEN STORAGE BOX (arrows show direction of grain)	Height	400
	Width	800
	Depth	432



USEFUL DIMENSIONS (mm)

OPEN STORAGE BOX	Height	350
	Width	762
	Depth	413

