

MELINA

PROPERTIES

LOCKBOX

<p>SIDE BACK BASE</p>	<p>Materials: Particle boards with melamine on 2 sides colours Density: 630 to 710 kg/m³ Thickness: Mobile pedestals: 19 mm Desk-height pedestals: base & back 25 mm / sides 19 mm Total useful load of mobile pedestal: 100 kg. Stabilisers / Castors: Mobile pedestals: 4 castors, 2 of which are braked - ø 50 mm / SF drawers fitted with a 5th castor. Desk-height pedestals: Supplied with 4 round stabilisers 40 mm in height, adjustment travel 20 mm. Assembly: Pedestals supplied assembled except for castors (ø 50mm) of mobile pedestals & handle to be fitted.</p>
<p>FINISH TOP</p>	<p>Materials: Particle boards with melamine on 2 sides colours Density: 630 to 710 kg/m³ Thickness: 25 mm or 19 mm (Desk-height pedestal) Colour: Matched to the body of the pedestal or by choice (Desk-Height pedestal) Other: The finish top is structural for mobile pedestals and non-structural for desk-height pedestals.</p>
<p>BOARD EDGES</p>	<p>Materials: ABS Thickness: Lockbox: fine edges 0.8 mm Structural top (base & back for the desk-height pedestal): edges 2 mm Finish: matched to colour</p>

TYPE OF OPENING

<p>DRAWERS</p>	<p>Exterior: Board for the drawer face Materials: Particle boards with melamine on 2 sides colours Density: 630 to 710 kg/m³ Thickness: 19 mm Edges: fine edges 0.8 mm</p> <p>Interior: Metal drawer Materials: Drawer is made of laminated sheeting DC01 thickness 8/10 and painted with black epoxy powder. Bearings: Concealed ball bearings - double-walled - fitted with a soft closing device - Electroplated steel 20/10 - inclined at 1 degree to make it easier to close. Type of locks: Closure: centralised, with lever 2 keys. Handle: Opening of drawers by aluminium finish brushed stainless steel (64 mm between centres). Cut-out for holding underneath. Rounded edges - W.12 x D.3.5 x H.0.5 cm Closure: centralised- with lever. 2 keys. Selective opening of drawers on all the pedestals. Shock-absorber piston allowing soft closing and selective opening. The system is fitted with springs that allow it to close. Accessories: Numerous notches cut out of the metal for placing separators (vertical or oblique, see below) Standard flat drawer: Pen tray of black ABS built into the first flat storage drawer. Drawers open 80%. Suspended file drawer: Drawers open 100% - Strength 45 kg. Depth 490 mm. The suspended file drawer is fitted with a sheet framework, a double-walled drawer with ball bearings. (Frame suitable for managing foolscap files). System for suspended files in nylon with 4 support elements that connect and reinforce the front face and with 4 metal bars. The plastic elements are fastened to the sides of the drawer with plastic pressure elements, without screws. The suspended file drawers of mobile pedestals are provided with a 5th anti-toppling castor. Double-wall, metal frame, high strength with invisible ball bearings.</p> <p>1-drawer pedestal: SF drawer: SF drawer opens 100% - Ball bearings - Strength 45 kg. (same as above) Fitted with a pen tray mini-drawer opening 100% with 6-compartment ABS pen tray built into a melamine mini-drawer. Anti-toppling 5th castor.</p>
----------------	--



PROPERTIES


OPTIONS

<p>SEAT CUSHION</p>	<p>Materials: MDF board base 10mm thick Foam 20 mm thick / density 56kg/m3 Covered in fabric according to shade card Assembly: To be fastened by velcro pads Other: Only for mobile pedestals</p>
<p>CLOSED MELAMINE BOX</p>	<p>Materials: Particle boards with melamine on 2 sides colours Density: 630 to 710 kg/m3 Thickness: Top & base: 25 mm - Sides & back: 19 mm Edges: Top & base: 2mm - Sides & back: 0.8 mm Description: Box provided with a base and a back. For desk-height pedestals D. 80 cm. Replace the melamine finish top. Assembly instructions: To be fastened by double-sided adhesive.</p>
<p>METAL OPEN BOX</p>	<p>Materials: Exterior: folded sheet - Interior: particle boards with melamine on 2 sides colours Density: melamine 630 to 710 kg/m3 Thickness: 7/10th sheet - melamine 25 mm Description: Interior white melamine open box, metal cladding. Box without base or back. For desk-height pedestals D. 80 cm.</p>


PROPERTIES

<p>OBLIQUE & VERTICAL SEPARATORS</p>	<p>Materials: Laminated sheeting DC01 thickness 8/10 and painted with black epoxy powders. Principle: Enables organisation of flat drawers by separating the space using the notched back. Clips directly into the drawer (without tools)</p>
<p>KIT OF 8 SPACERS</p>	<p>Materials: ABS Description: Kit of 8 spacers to raise desk-height pedestals from 20 to 40 mm.</p>

Overview Mobile pedestal (in cm)



Overview Desk-height pedestal (in cm)



DRAWERS

FLAT DRAWERS	Height	70
	Width	360
	Depth	480

SUSPENDED FILE DRAWERS	Height	298
	Width	360
	Depth	480
	V-back suspended files	+/- 48
	15 mm-back suspended files	+/- 31

SUSPENDED FILE DRAWERS 1-DRAWER PEDESTAL	Height	260
	Width	230
	Depth	490
	V-back suspended files	+/- 23
	15 mm-back suspended files	+/- 16

Note: on the 1-drawer pedestal, the suspended files are put only in the vertical direction (in the direction of the depth)

