

OPUS

FEATURES



OFFICE CHAIR

| | |
|----------------------|--|
| <p>HEADREST</p> | <p>For fabric backrest Polyamide internal structure, polypropylene shell / PU foam 15 mm thick and cut to shape, density 56 kg/m3 Foam glued to the internal structure, fabric bonded to foam with adhesive Padding effect realised with staples</p> <p>For mesh backrest Polyamide internal structure, polypropylene shell / PU foam 15 mm thick and cut to shape, density 60 kg/m3 No fabric/foam adhesive bonding Padding effect realised with staples</p> <p>Adjustments Headrest inclination adjusts through 45° Height adjustment via rack-and-pinion (+ 60 mm)</p> |
| <p>BACKREST</p> | <p>Fabric backrest Polyamide internal structure, polypropylene shell / Injection moulded PU foam 40 mm thick, density 60 kg/m3 Padding effect realised with staples Height adjustment via rack-and-pinion (+ 60 mm), reverse lock safety mechanism</p> <p>Mesh backrest Polyamide frame with clip-on mesh covering (100 % polyester, 510 g/m²) Height adjustment via rack-and-pinion (+ 60 mm), actioned via a hand wheel to the rear of the backrest, reverse lock safety mechanism Option: polypropylene lumbar support, height adjustable (+ 110 mm)</p> |
| <p>CONNECTOR ROD</p> | <p>For the comfort, ergonomic and ergo+ versions: Steel rod 6 mm thick, polypropylene housing sheath Rod secured directly to the backrest and mechanism using screws</p> |
| <p>SEAT</p> | <p>For the comfort and ergonomic versions: Plywood internal structure, polypropylene shell / Injection moulded PU foam 45 mm thick, 60 kg/m3 Foam glued to the internal structure / fabric bonded to foam with adhesive Padding effect realised with staples Adjustments: optional adjustable seat with 6 preset positions, spaced at 11 mm intervals with an overall range of 55 mm</p> <p>For the ergo+ version: Plywood internal structure, polypropylene shell / Injection moulded PU foam 45 mm thick, 60 kg/m3 Padding effect realised with thread stitching Adjustments: optional adjustable seat with 6 preset positions, spaced at 20 mm intervals with an overall range of 100 mm</p> <p> All seat versions are easily interchangeable > Secured by 4 screws for the version without armrests > Secured by 10 screws for the version with armrests</p> |

Made in France



Excl. armrests



| | |
|--|--|
| <p>ARMRESTS</p> | <p>1D Armrests Polyamide Height adjustment: 8 preset positions, spaced at 10 mm intervals with an overall range of 70 mm</p> <p>4D Armrests Polyamide with flexible polyurethane (PU) armrest sleeve 4 adjustment possibilities > Width: 35 mm range of adjustment on each side > Height: 11 positions spaced at 10 mm intervals with an overall range of 100 mm > Depth: 5 positions spaced at 12.5 mm intervals with an overall range of 50 mm > Rotation: 3 positions spaced at 10° intervals with an overall range of 20°</p> <p>4D Armrests with chrome base (exclusive to ergo+) Polyamide with flexible polyurethane (PU) armrest sleeve, armrest base in chromed steel 4 adjustment possibilities > Width: 42 mm range of adjustment on each side > Height: 11 positions spaced at 15 mm intervals with an overall range of 150 mm > Depth: 8 positions spaced at 10 mm intervals with an overall range of 70 mm > Rotation: 360°</p> |
| <p>MECHANISM & ADJUSTMENT SYSTEM</p> | <p>Synchro Comfort Mechanism > Synchronised seat and backrest inclination through 15° > Backrest locking to 4 preset positions > Backrest tension adjustment performed using a hand wheel located at the front of the seat</p> <p>Ergonomic Synchro Mechanism > Synchronised seat and backrest inclination through 15° > Backrest locking to 4 preset positions > Backrest tension adjustment performed using a hand lever located to the side of the seat</p> <p>Synchro Ergo+ Mechanism > Synchronised seat and backrest inclination through 15° > Seat tilt can be adjusted between -2 and 7° (negative tilt) > Backrest locking to 5 preset positions > Backrest tension adjustment performed using a hand lever located to the side of the seat</p> |
| <p>LEGS</p> | <p>5-point star base in black finish, as standard Black polyamide ø 700 mm Gas lift mechanism, black finish, adjustment range of 125 mm</p> <p>5-point star base in chrome finish, optional Chromed aluminium ø 700 mm Gas lift mechanism, black finish, adjustment range of 125 mm</p> <p>5-point star base, exclusive to Ergo+ Chromed aluminium ø 700 mm Gas lift mechanism, black finish, adjustment range of 160 mm</p> <p>Castors > Soft-floor castors Ø 50 mm (polypropylene castor housing and wheel) > Hard-floor castors Ø 50 mm (polypropylene castor housing and wheel) > Brake loaded soft- or hard-floor castors Ø 50 mm (polypropylene castor housing and wheel): castors lock automatically when the chair is in use (seated user) > Brake unloaded soft- or hard-floor castors Ø 50 mm (polypropylene castor housing and wheel): castors lock automatically when the chair is not in use (no-one seated on the chair)</p> |



Excl. armrests



| | OFFICE CHAIR | | OFFICE CHAIR WITH HEADREST | | ERGO + OFFICE CHAIR WITH HEADREST | |
|---|---|---|---|---|---|---|
| |  Fabric high back |  Mesh high back |  Fabric high back |  Mesh high back |  Fabric high back |  Mesh high back |
| OVERALL DIMENSIONS (in mm) | | | | | | |
| Width | 666 | 666 | 666 | 666 | 666 | 666 |
| Depth | 634 | 634 | 634 | 634 | 634 | 634 |
| Height | 1190 | 1215 | 1450 | 1475 | 1480 | 1500 |
| USEFUL DIMENSIONS (in mm) | | | | | | |
| Seat height | 420 / 545 | 420 / 545 | 420 / 545 | 420 / 545 | 470 / 630 | 470 / 630 |
| Width x Seat depth | 510 X 460 | 510 X 460 | 510 X 460 | 510 X 460 | 480 X 450 | 480 X 450 |
| Backrest height (Distance between top of backrest/top of seat) | 585 / 645 | 610 / 670 | 785 / 905 | 810 / 930 | 720 / 850 | 750 / 870 |
| Height 1D armrests (Distance between top of backrest/top of armrest) | 180 / 250 | 180 / 250 | 180 / 250 | 180 / 250 | | |
| Height 4D armrests (Distance between top of backrest/top of armrest) | 185 / 285 | 185 / 285 | 185 / 285 | 185 / 285 | 145 / 295 | 145 / 295 |
| WEIGHT (kg) | | | | | | |
| Net weight | 16.83 | 13.4 | 17.58 | 19.95 | 18.8 | 16.8 |
| Max. weight 1D armrests | 40 | 40 | 40 | 40 | 40 | 40 |
| Max. weight 4D armrests | 40 | 40 | 40 | 40 | 40 | 40 |
| Max. load | 120 | 120 | 120 | 120 | 120 | 120 |

Made in France



Excl. armrests

